



COLLECTION

# ON THE EDGE

ANTHOLOGY™

## Genuine Rose Gold, Platinum, and 14K Gold framed tiles.

This collection is classic with a touch of elegance. Halo is a 5"x 5" patterned tile that replicates an intricate mosaic and refined look with metallic accents, these tiles will create stunning focal points.



ANTHOEPLP

Accompanied by Genuine Rose Gold, Platinum, and 14K Gold framed tiles in three colors of stunning 4"x16" and 6" hexagonal shapes. On trend with color and creativity use these tiles to take your designs to the edge.



ANTHOEHG



ANTHOEGP

PRODUCTS



**14K Hex**

ANTHOE14KH 6"x6"  
Coverage: 0.215 sqft/pc  
\*sold by the box



**Platinum Hex**

ANTHOEPLH 6"x6"  
Coverage: 0.215 sqft/pc  
\*sold by the box



**Rose Gold Hex**

ANTHOERGH 6"x6"  
Coverage: 0.215 sqft/pc  
\*sold by the box




**14K Plank**

ANTHOE14KP 4"x16"  
Coverage: 0.43 sqft/pc  
\*sold by the box



**Platinum Plank**

ANTHOEPLP 4"x16"  
Coverage: 0.43 sqft/pc  
\*sold by the box



**Rose Gold Plank**

ANTHOEGP 4"x16"  
Coverage: 0.43 sqft/pc  
\*sold by the box



**Halo Silver**

ANTHOEHS 5"x5"  
Coverage: 0.182 sqft/pc  
\*sold by the box



**Halo Gold**

ANTHOEHG 5"x5"  
Coverage: 0.182 sqft/pc  
\*sold by the box

PRODUCT SPECS



Piece Size: 5.906" x 5.118"  
Chip Size: 6" x 6"  
Thickness: 8 mm  
PCS/Box: 50  
SQFT/Box: 10.75  
Material: Ceramic



Piece Size: 3.937" x 15.748"  
Chip Size: 4" x 16"  
Thickness: 8 mm  
PCS/Box: 12  
SQFT/Box: 5.16  
Material: Ceramic



Piece Size: 5.119" x 5.119"  
Chip Size: 5" x 5"  
Thickness: 8 mm  
PCS/Box: 36  
SQFT/Box: 6.552  
Material: Ceramic

Interior Wall Interior Floor Backsplash Shower Floors Shower/Wet Areas Fireplace Surrounds Exterior Wall Exterior Floor Pool/Fountain

All Items

**Application** - Residential/Commercial

**Presentation** - Loose piece

Recommended uses only apply for properly installed material according to TCNA guidelines. All information is subject to change; refer to the website for most updated information. Images were digitally enhanced; for color accuracy, please request a sample.

**IMPORTANT: Installation Instructions**

We recommend wet cutting or the score and snap method during the installation process. Improper installation techniques could expose installer to harmful silica dust.

Do not dry cut product using power tools during the installation process. Using dry cutting methods could present a risk of acute lung injury. If adequate ventilation cannot be achieved, wear a mask or respirator. For more information, see the SDS at <https://anthologytile.com>



ANTHOLOGY™

[anthologytile.com](http://anthologytile.com)