



COLLECTION

BENESAL

ANTHOLOGY™



ANTHBENTESE

BENESAL | TILE COLLECTION

Organic warmth, enduring style.

Inspired by the weathered beauty of fire-aged clay, Benesal features rich tonal variation and an organically worn surface. Earthy neutrals, warm browns, and terracotta hues create depth, character, and timeless appeal.



ANTHBENCR




ANTHBENCALI & ANTHBENCA

PRODUCTS



Crudo Matte
ANTHBENCR | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box



Crudo Segures Matte
ANTHBENCRSE | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box



Crudo Libori Matte
ANTHBENCRLI | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box



Tostado Matte
ANTHBENTO | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box




Tostado Segures Matte
ANTHBENTOSE | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box




Tostado Libori Matte
ANTHBENTOLI | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box




Terracota Matte
ANTHBENTE | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box




Terracota Segures Matte
ANTHBENTESE | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box




Terracota Libori Matte
ANTHBENTELI | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box



Caldera Matte
ANTHBENCA | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box



Caldera Segures Matte
ANTHBENCASE | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box



Caldera Libori Matte
ANTHBENCALI | 4.5" x 9"
Coverage: 0.28 sq.ft./pc
*sold by the box

PRODUCT SPECS



Piece Size: 4.5" x 9"
Chip Size: 4.5" x 9"
PCS/Box: 24
SQFT/Box: 6.88
Material: Porcelain

- Interior WallInterior FloorBacksplashShower FloorsShower/Wet AreasFireplace SurroundsExterior WallExterior FloorPool/Fountain
- All Items

Application - Residential/Commercial
Presentation - Loose Piece

Recommended uses only apply for properly installed material according to TCNA guidelines. All information is subject to change; refer to the website for most updated information. Images were digitally enhanced; for color accuracy, please request a sample.

IMPORTANT: Installation Instructions
We recommend wet cutting or the score and snap method during the installation process. Improper installation techniques could expose installer to harmful silica dust.
Do not dry cut product using power tools during the installation process. Using dry cutting methods could present a risk of acute lung injury. If adequate ventilation cannot be achieved, wear a mask or respirator. For more information, see the SDS at <https://anthologytile.com>



ANTHOLOGY™

anthologytile.com