



COLLECTION

# GLASSIQUE

ANTHOLOGY™




## Glassique is a unique designer look in molten glass mosaics.

This glass collection creates the image of semi-precious gemstones with colors that create highlights and give focal points to any project. Geometric shapes that have the fluidity of water and some of these gem creations even sparkle with metallic accents. This glass also is environmentally friendly, with over 30% recycled content.



ANTHGLBRL

All hand crafted, this glass will show imperfections such as wrinkles, waves, bubbles, and chipped edges, all designed to enhance your space with great character.



ANTHGLMTL



ANTHGLSS

PRODUCTS




**Beam Lagoon**

ANTHGLBL 12"x12"  
Coverage: 0.963 sqft/pc



**Beam Sepia**

ANTHGLBS 12"x12"  
Coverage: 0.963 sqft/pc



**Brocade Lagoon**

ANTHGLBRL 12"x12"  
Coverage: 0.963 sqft/pc



**Brocade Sepia**

ANTHGLBRS 12"x12"  
Coverage: 0.963 sqft/pc



**Rhapsody Lagoon**

ANTHGLRL 12"x12"  
Coverage: 0.952 sqft/pc



**Rhapsody Sepia**

ANTHGLRS 12"x12"  
Coverage: 0.952 sqft/pc




**Interlude Lagoon**

ANTHGLIL 12"x13"  
Coverage: 1.0369 sqft/pc



**Interlude Sepia**

ANTHGLIS 12"x13"  
Coverage: 1.0369 sqft/pc




**Stakes Lagoon**

ANTHGLSL 12"x12"  
Coverage: 0.984 sqft/pc


PRODUCTS



**Stakes Sepia**  
ANTHGLSS 12"x12"  
Coverage: 0.984 sqft/pc



**Mini Triangle Lagoon**  
ANTHGLMTL 12"x12"  
Coverage: 1.034 sqft/pc




**Mini Triangle Sepia**  
ANTHGLMTS 12"x12"  
Coverage: 1.034 sqft/pc

# GLASSIQUE | TILE COLLECTION


## PRODUCT SPECS



Piece Size: 11.969"x13.701"  
 Chip Size: 0.59"x3.85"  
 Thickness: 6.5 mm  
 PCS/Box: 11  
 SQFT/Box: 10.593  
 Material: Glass




Piece Size: 11.75"x11.875"  
 Chip Size: 1"x1"  
 Thickness: 6.6 mm  
 PCS/Box: 11  
 SQFT/Box: 10.593  
 Material: Glass




Piece Size: 12.323"x11.733"  
 Chip Size: 1"x1"  
 Thickness: 6.6 mm  
 PCS/Box: 11  
 SQFT/Box: 10.472  
 Material: Glass



Piece Size: 11.733"x13.701"  
 Chip Size: Multi-Sized  
 Thickness: 6.5 mm  
 PCS/Box: 11  
 SQFT/Box: 11.396  
 Material: Glass



Piece Size: 11.969"x11.85"  
 Chip Size: 2.75"x0.75"  
 Thickness: 6 mm  
 PCS/Box: 11  
 SQFT/Box: 10.824  
 Material: Glass



Piece Size: 12.126"x12.283"  
 Chip Size: 1"x1"  
 Thickness: 6 mm  
 PCS/Box: 11  
 SQFT/Box: 11.374  
 Material: Glass

	Interior Wall	Interior Floor	Backsplash	Shower Floors	Shower/Wet Areas	Fireplace Surrounds	Exterior Wall	Exterior Floor	Pool/Fountain
ANTHGLBL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			
ANTHGLBS	<input type="checkbox"/>		<input type="checkbox"/>						
ANTHGLBRL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			
ANTHGLBRS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
ANTHGLRL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			
ANTHGLRS	<input type="checkbox"/>		<input type="checkbox"/>						
ANTHGLIL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			
ANTHGLIS	<input type="checkbox"/>		<input type="checkbox"/>						
ANTHGLSS	<input type="checkbox"/>		<input type="checkbox"/>						
ANTHGLSL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			
ANTHGLMTS	<input type="checkbox"/>		<input type="checkbox"/>						
ANTHGLMTL	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			

**Application** - Residential/Commercial

**Presentation** - Mesh Mounted

Recommended uses only apply for properly installed material according to TCNA guidelines. All information is subject to change; refer to the website for most updated information. Images were digitally enhanced; for color accuracy, please request a sample.

### IMPORTANT: Installation Instructions

We recommend wet cutting or the score and snap method during the installation process. Improper installation techniques could expose installer to harmful silica dust.

Do not dry cut product using power tools during the installation process. Using dry cutting methods could present a risk of acute lung injury. If adequate ventilation cannot be achieved, wear a mask or respirator. For more information, see the SDS at <https://anthologytile.com>





**ANTHOLOGY™**  
anthologytile.com