COLLECTION

ESSENTIALS

ANTHOLOGY™

Stylish glass tiles that bring shine and sophistication to any space.

Enhance any space with the reflective qualities of classically designed glass tiles. Add an element of shine to your space by creating a stylish and sophisticated space.



Soft beachy tones, and earthy neutrals will make the perfect design statement.

ANTHESBA312

ANTHESSI26



ANTHESMI26

PRODUCTS



Mist 2x6
ANTHESMI26 12”x12”
Coverage: 0.96 sqft/pc

Mist 4x8
ANTHESMI48 4”x8”
Coverage: 0.21 sqft/pc
*sold by the box

Mist 3x12
ANTHESMI312 3”x12”
Coverage: 0.24 sqft/pc
*sold by the box

Bamboo 2x6
ANTHESBA26 12”x12”
Coverage: 0.96 sqft/pc

Bamboo 3x12
ANTHESBA312 3”x12”
Coverage: 0.24 sqft/pc
*sold by the box



Silk 2x6
ANTHESSI26 12”x12”
Coverage: 0.96 sqft/pc

Silk 3x12
ANTHESSI312 3”x12”
Coverage: 0.24 sqft/pc
*sold by the box

PRODUCT SPECS

Piece Size: 11.73” x 11.73”
Chip Size: 2”x 6”
Thickness: 8 mm
PCS/Box: 9
SQFT/Box: 8.64
Material: Glass

Piece Size: 3.86” x 7.8”
Chip Size: 4”x 8”
Thickness: 8 mm
PCS/Box: 24
SQFT/Box: 5.04
Material: Glass

Piece Size: 2.95” x 11.73”
Chip Size: 3”x 12”
Thickness: 8 mm
PCS/Box: 24
SQFT/Box: 5.76
Material: Glass

	Interior Wall	Interior Floor	Backsplash	Shower Floors	Shower/Wet Areas	Fireplace Surrounds	Exterior Wall	Exterior Floor	Pool/Fountain
ANTHESMI26	▣		▣		▣	▣			▣
ANTHESMI48	▣		▣		▣	▣			
ANTHESMI312	▣		▣		▣	▣			
ANTHESBA26	▣		▣		▣	▣			▣
ANTHESBA312	▣		▣		▣	▣			
ANTHESSI26	▣		▣		▣	▣			▣
ANTHESSI312	▣		▣		▣	▣			

Application - Residential/Commercial

Presentation - Mesh Mounted & Loose Piece

Recommended uses only apply for properly installed material according to TCNA guidelines. All information is subject to change; refer to the website for most updated information. Images were digitally enhanced; for color accuracy, please request a sample.

IMPORTANT: Installation Instructions
We recommend wet cutting or the score and snap method during the installation process. Improper installation techniques could expose installer to harmful silica dust.

Do not dry cut product using power tools during the installation process. Using dry cutting methods could present a risk of acute lung injury. If adequate ventilation cannot be achieved, wear a mask or respirator. For more information, see the SDS at **https://anthologytile.com**

ANTHOLOGY™

anthologytile.com