



This is the cornerstone of Anthology's tile collections.



anthologytile.com PG. 3

FOUNDATIONS | TILE COLLECTION

PRODUCTS



Framework Plaster
ANTHFOFPL 11"x13"
Coverage: 0.91 sqft/pc



Framework Pewter ANTHFOFPE 11"x13" Coverage: 0.91 sqft/pc



Framework Plains ANTHFOFPLN 11"x13" Coverage: 0.91 sqft/pc




Structure PlasterANTHFOSPL 11"x13"
Coverage: 0.92 sqft/pc




Structure Pewter ANTHFOSPE 11"x13" Coverage: 0.92 sqft/pc



Structure Plains ANTHFOSPLN 11"x13" Coverage: 0.92 sqft/pc



Picketfence Plaster ANTHFOPPL 10"x14" Coverage: 0.91 sqft/pc



Picketfence Pewter ANTHFOPPE 10"x14" Coverage: 0.91 sqft/pc



Picketfence Plains ANTHFOPPLN 10"x14" Coverage: 0.91 sqft/pc

PG. 4 anthologytile.com

FOUNDATIONS | TILE COLLECTION

PRODUCTS



Tilt PlasterANTHFOTPL 12"x12"
Coverage: 0.901 sqftpc



Tilt PewterANTHFOTPE 12"x12"
Coverage: 0.901 sqft/pc



Tilt PlainsANTHFOTPLN 12"x12"
Coverage: 0.901 sqft/pc

anthologytile.com PG. 5

FOUNDATIONS | TILE COLLECTION

PRODUCT SPECS



Piece Size: 10.39" x 12.6"
Chip Size: 1.5"x3"
Thickness: 8 mm
PCS/Box: 10
SQFT/Box: 9.1
Material: Ceramic



Piece Size: 12.64" x 10.51" Chip Size: 2.75"x3.5" Thickness: 8 mm PCS/Box: 10 SQFT/Box: 9.2 Material: Ceramic



Piece Size: 9.65" x 13.5"
Chip Size: 2"x6"
Thickness: 8 mm
PCS/Box: 10
SQFT/Box: 9.1
Material: Ceramic



Piece Size: 11.26" x 11.54"

Chip Size: 0.5"x1"
Thickness: 7 mm
PCS/Box: 10
SQFT/Box: 9.01
Material: Ceramic

	Interior Wall	Interior Floor	Backsplash	Shower Floors	Shower/Wet Areas	Fireplace Surrounds	Exterior Wall	Exterior Floor	Pool/Fountain
ANTHFOFPL									
ANTHFOFPE									
ANTHFOFPLN									
ANTHFOSPL									
ANTHFOSPE									
ANTHFOSPLN									
ANTHFOPPL									
ANTHFOPPE									
ANTHFOPPLN									
ANTHFOTPL									
ANTHFOTPE									
ANTHFOPPE									

Application - Residential/Commercial

Presentation - Mesh Mounted

Recommended uses only apply for properly installed material according to TCNA guidelines. All information is subject to change; refer to the website for most updated information. Images were digitally enhanced; for color accuracy, please request a sample.

IMPORTANT: Installation Instructions

We recommend wet cutting or the score and snap method during the installation process. Improper installation techniques could expose installer to harmful silica dust.

Do not dry cut product using power tools during the installation process. Using dry cutting methods could present a risk of acute lung injury. If adequate ventilation cannot be achieved, wear a mask or respirator. For more information, see the SDS at https://anthologytile.com

PG. 6 anthologytile.com

