
ANTHOLOGY

MODERN DAY METALS

HUP CLIAN






MODERN DAY METALS | TILE COLLECTION

Metallic tiles for a modern and sophisticated look.

Metal tiles appeal to the modernist in all of us. The clean and contemporary surface of metallic tiles are unmatched by any other wall or floor covering material.



MODERN DAY METALS | TILE COLLECTION PRODUCTS



Cityscape ANTHMDCI 12"x12" Coverage: 0.969 sqft/pc



Silverscape ANTHMDSI 12"x13" Coverage: 0.98 sqft/pc



Highrise ANTHMDHI 12"x13" Coverage: 0.98 sqft/pc



Skyrise ANTHMDSK 12"x13" Coverage: 0.95 sqft/pc



Urban Sky ANTHMDUS 12"x12" Coverage: 0.98 sqft/pc

MODERN DAY METALS | TILE COLLECTION

PRODUCT SPECS

Chip Size: Thickness: PCS/Box: SQFT/Box:	11			9 8.55			9
	12	Shower Floors	Shower/Wet	Areas Fireplace Surrounds	Exterior Wall	Exterior Floor	Pool/Fountain

ANTHMDCI *		
ANTHMDSI *		
ANTHMDHI *		
ANTHMDSK *		
ANTHMDUS **		

Application - Residential/Commercial

Presentation - Mesh Mounted

Recommended uses only apply for properly installed material according to TCNA guidelines. All information is subject to change; refer to the website for most updated information. Images were digitally enhanced; for color accuracy, please request a sample.



WARNING: This product can expose you to chemicals including crystalline silica which is known to the State of California to cause cancer. For more information go towww.P65Warnings.ca.gov.

CAUTION: SILICA DUST HARMFUL IF INHALED. Exposure to silica dust from cutting, grinding, or polishing can cause acute lung injury, silicosis, or cancer. Wear a respirator when cutting, grinding, or polishing. Use wet cutting methods and do not dry cut. Children should not be present during cutting, grinding, or polishing.

**

IMPORTANT: Installation Instructions

We recommend wet cutting or the score and snap method during the installation process. Improper installation techniques could expose installer to harmful silica dust.

Do not dry cut product using power tools during the installation process. Using dry cutting methods could present a risk of acute lung injury. If adequate ventilation cannot be achieved, wear a mask or respirator. For more information, see the SDS at https://anthologytile.com

