




# This glass collection is an iridescent fusion of colors and mesmerizing beauty.

This glass tile collection is inspired by the flow of ever-changing movements in opalescent colored glass mosaics and tiles featured in a classic palette.



anthologytile.com PG. 3

## MYSTIC GLASS | TILE COLLECTION

## **PRODUCTS**



Astral
ANTHMGAS 12"x12"
Coverage: 1.06 sqft/pc



Cosmic ANTHMGCO 12"x12" Coverage: 1.06 sqft/pc



Horizon 3x12 ANTHMGHO 3"x12" Coverage: 0.24 sqft/pc \*sold by the box



Tradewind 3x12
ANTHMGTR 3"x12"
Coverage: 0.24 sqft/pc
\*sold by the box



Horizon Mix ANTHMGHM 12"x12" Coverage: 0.97 sqft/pc



Whirlwind Mix ANTHMGWM 12"x12" Coverage: 0.97 sqft/pc



**Tradewind Mix**ANTHMGTM 12"x12"
Coverage: 0.97 sqft/pc

PG. 4 anthologytile.com

### MYSTIC GLASS | TILE COLLECTION

# PRODUCT SPECS



Piece Size: 12.2" x 12.52"

Chip Size: 2" x 6" Thickness: 6 mm PCS/Box: 11 SQFT/Box: 11.66 Material: Glass Piece Size: 2.95" x 11.81"

Chip Size: 3" x 12"
Thickness: 8 mm
PCS/Box: 24
SQFT/Box: 5.76
Material: Glass



Piece Size: 11.81" x 11.81"

Chip Size: Multi-Sized Thickness: 8 mm PCS/Box: 9 SQFT/Box: 8.73 Material: Glass



Piece Size: 11.81" x 11.81"

Glass

Chip Size: 2" x 6" Thickness: 8 mm PCS/Box: 9 SQFT/Box: 8.73

Material:

Interior Wall Interior Floor Backsplash Pool/Fountain Shower Floors Shower/Wet Areas Fireplace Surrounds Exterior Wall Exterior Floor ANTHMGAS ANTHMGCO ANTHMGTR ANTHMGWM 

#### Application - Residential/Commercial

#### Presentation - Mesh Mounted & Loose Piece

Recommended uses only apply for properly installed material according to TCNA guidelines. All information is subject to change; refer to the website for most updated information. Images were digitally enhanced; for color accuracy, please request a sample.

#### **IMPORTANT: Installation Instructions**

We recommend wet cutting or the score and snap method during the installation process. Improper installation techniques could expose installer to harmful silica dust.

Do not dry cut product using power tools during the installation process. Using dry cutting methods could present a risk of acute lung injury. If adequate ventilation cannot be achieved, wear a mask or respirator. For more information, see the SDS at https://anthologytile.com

anthologytile.com PG. 5

